FILE 'HOME' ENTERED AT 16:59:10 ON 21 OCT 2003

=> file medline biosis embase scisearch caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 16:59:26 ON 21 OCT 2003

FILE 'BIOSIS' ENTERED AT 16:59:26 ON 21 OCT 2003 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 16:59:26 ON 21 OCT 2003 COPYRIGHT (C) 2003 Elsevier Inc. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 16:59:26 ON 21 OCT 2003 COPYRIGHT 2003 THOMSON ISI

FILE 'CAPLUS' ENTERED AT 16:59:26 ON 21 OCT 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> s ll and behavior

L2 295 L1 AND BEHAVIOR

=> s 13 and genet?

L3 NOT FOUND

The L-number entered could not be found. To see the definition of L-numbers, enter DISPLAY HISTORY at an arrow prompt (=>).

=> s 12 and genet?

L3 67 L2 AND GENET?

=> dup rem
ENTER L# LIST OR (END):13
PROCESSING COMPLETED FOR L3

L4 36 DUP REM L3 (31 DUPLICATES REMOVED)

=> d 14 tot ti

L4 ANSWER 1 OF 36 MEDLINE on STN DUPLICATE 1

TI Behavioral, neurochemical, and electrophysiological characterization of a **genetic** mouse model of depression.

L4 ANSWER 2 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN

TI Chronic AMPA receptor potentiator (LY451646) treatment increases cell proliferation in adult rat hippocampus.

L4 ANSWER 3 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN

TI Behavioral characterization of mice lacking the A3 adenosine receptor: Sensitivity to hypoxic neurodegeneration.

L4 ANSWER 4 OF 36 MEDLINE on STN DUPLICATE 2

TI An exploratory factor analysis of the **Tail Suspension Test** in 12 inbred strains of mice and an F2 intercross.

L4 ANSWER 5 OF 36 MEDLINE on STN DUPLICATE 3

TI Antidepressant-like effects in various mice strains in the tail suspension test.

- L4 ANSWER 6 OF 36 MEDLINE on STN
- TI Antidepressant-like actions of DOV 21,947: a "triple" reuptake inhibitor.
- L4 ANSWER 7 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Behavioral screen of cGA-knock-out mice: Changes in anxiety- related behaviour.
- L4 ANSWER 8 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
- TI Transgenic mice containing glucocorticoid-induced receptor gene disruptions for use in drug screening
- L4 ANSWER 9 OF 36 MEDLINE on STN DUPLICATE 4
- TI Diminished anxiety- and depression-related behaviors in mice with selective deletion of the Tacl gene.
- L4 ANSWER 10 OF 36 MEDLINE on STN
- TI cAMP response element-binding protein is essential for the upregulation of brain-derived neurotrophic factor transcription, but not the behavioral or endocrine responses to antidepressant drugs.
- L4 ANSWER 11 OF 36 MEDLINE on STN DUPLICATE 5
- TI Evaluation of antidepressant-related behavioral responses in mice lacking the serotonin transporter.
- L4 ANSWER 12 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
- TI Mouse lines differing in sensitivity to .beta.-CCM differ in tasks used for testing antidepressants
- L4 ANSWER 13 OF 36 MEDLINE on STN DUPLICATE 6
- TI Identification of multiple **genetic** loci linked to the propensity for "behavioral despair" in mice.
- L4 ANSWER 14 OF 36 MEDLINE on STN DUPLICATE 7
- TI A chronic treatment with fluoxetine decreases 5-HT(1A) receptors labeling in mice selected as a **genetic** model of helplessness.
- L4 ANSWER 15 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI BEHAVIORAL TESTING IN ENU MUTAGENIZED MICE FROM THE TENNESSEE MOUSE GENOME CONSORTIUM.
- L4 ANSWER 16 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI BEHAVIORAL CHARACTERIZATION OF 5 HT4 RECEPTOR KNOCKOUT MICE.
- L4 ANSWER 17 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI THE GAL R1 GALANIN RECEPTOR SUBTYPE MODULATES ANXIETY LIKE **BEHAVIOR** IN MICE.
- L4 ANSWER 18 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Genetic dissection of the tail suspension test in mice.
- L4 ANSWER 19 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Reduced serotoninergic neurotransmission in a **genetic** model of depression in the mouse: An electrophysiological study.
- L4 ANSWER 20 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI The density of Nissl stained cells and the size of some cerebral regions are decreased in a **genetic** animal model of depression.
- L4 ANSWER 21 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Regional mutagenesis of the mouse genome and neural phenotypes: Year 1 progress report.
- L4 ANSWER 22 OF 36 MEDLINE on STN

- TI Antidepressant-like behavioral effects in 5-hydroxytryptamine(1A) and 5-hydroxytryptamine(1B) receptor mutant mice.
- L4 ANSWER 23 OF 36 MEDLINE on STN DUPLICATE 8
- TI Genetic differences in the tail-suspension test and its relationship to imipramine response among 11 inbred strains of mice.
- L4 ANSWER 24 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 9
- TI Comparison of the phenotype of NK1R -/- mice with pharmacological blockade of the substance P (NK1) receptor in assays for antidepressant and anxiolytic drugs.
- L4 ANSWER 25 OF 36 MEDLINE on STN
- TI Intra- and interstrain differences in models of "behavioral despair".
- L4 ANSWER 26 OF 36 MEDLINE on STN DUPLICATE 10
- TI Limitations on the use of the C57BL/6 mouse in the tail suspension test.
- L4 ANSWER 27 OF 36 MEDLINE ON STN DUPLICATE 11
- TI Adenosine A2A receptor antagonists are potential antidepressants: evidence based on pharmacology and A2A receptor knockout mice.
- L4 ANSWER 28 OF 36 MEDLINE on STN
- TI Depressive **behavior** and alterations in receptors for dopamine and 5-hydroxytryptamine in the brain of the senescence accelerated mouse (SAM)-P10.
- L4 ANSWER 29 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Effect of several antidepressants in a new **genetic** mouse model of depression.
- L4 ANSWER 30 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 12
- TI Animal models of depression: Utility for transgenic research.
- L4 ANSWER 31 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Characterization of the effects of antidepressants in 5-HT1A and 5-HT1B receptor knockout mice using the **tail suspension test**.
- L4 ANSWER 32 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI A chronic treatment with fluoxetine modifies the labeling of 5HT1A receptor in a **genetic** animal model of depression.
- L4 ANSWER 33 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TI Founding a line of "depressed" mice from the selection of breeders exhibiting a behavioural helplessness.
- L4 ANSWER 34 OF 36 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- TI Are Wistar-Kyoto rats a **genetic** animal model of depression resistant to antidepressants?
- L4 ANSWER 35 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 13
- TI A genetic mouse model of helplessness sensitive to imipramine.
- L4 ANSWER 36 OF 36 MEDLINE ON STN DUPLICATE 14
- TI Genetic differences in a tail suspension test for evaluating antidepressant activity.

=> d 14 18, 23, 26, 36 ibib abs